

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878 - Czech Republic

SAFETY DATA SHEET

IEASY UV ink HT Pro7 magenta 01LT

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : IEASY UV ink HT Pro7 magenta 01LT

Product code : 1715200-01LT Product description : Not available.

Product type : liquid

Other means of identification : IEASY UV ink HT Pro7 magenta 01LT

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Ink and Coatings, Printing

Uses advised against

Not applicable.

1.3 Details of the supplier of the safety data sheet

INX Digital Czech a.s.

Do Certous 2621/13 - Hall I2 193 00 Prague 20 - Horni Pocernice Czech Republic

+420 326.914.083

e-mail address of person responsible for this SDS

INXGlobalRegulatory@inxintl.com

National contact

Not available.

1.4 Emergency telephone number

National advisory body/Poison Center

Telephone number : Not available.

<u>Supplier</u>

Telephone number : +420 326.914.083 Hours of operation : Not available. Information limitations : Not available.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Skin Irrit. 2, H315 Eve Dam. 1, H318 Skin Sens. 1, H317 Repr. 2, H361d STOT SE 3, H335 (Respiratory tract irritation)

Aquatic Acute 1, H400

Aquatic Chronic 2, H411

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms









Signal word Danger

Hazard statements H315: Causes skin irritation.

H317:May cause an allergic skin reaction. H318: Causes serious eye damage. H335:May cause respiratory irritation.

H361d:Suspected of damaging the unborn child. H410: Very toxic to aquatic life with long lasting effects.

Precautionary statements

P103:Read carefully and follow all instructions. General

P102:Keep out of reach of children.

P101:If medical advice is needed, have product container or

label at hand.

Prevention P201:Obtain special instructions before use.

P280:Wear protective gloves, protective clothing, eye protection, face protection, or hearing protection. P271:Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

P261:Avoid breathing vapor.

P264: Wash thoroughly after handling.

P391:Collect spillage. Response

P308:IF exposed or concerned:

P308 + P313:Get medical advice or attention.

P304:IF INHALED:

P304 + P312:Call a POISON CENTER or doctor if you feel

P362 + P364:Take off contaminated clothing and wash it

before reuse.

P302:IF ON SKIN:

P302 + P352:Wash with plenty of water. P333:If skin irritation or rash occurs:

P333 + P313:Get medical advice or attention.

P305:IF IN EYES:

P305 + P351 + P338:Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P305 + P310:Immediately call a POISON CENTER or doctor.

Storage P405:Store locked up.

P403 + P233:Store in a well-ventilated place. Keep container

tightly closed.

Disposal P501:Dispose of contents and container in accordance with all

local, regional, national and international regulations.

Contains monoalkyl or monoaryl or monoalkylaryl esters of acrylic acid

3-methyl-1,5-pentanediyl diacrylate

ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate

benzyl acrylate

2-phenoxyethyl acrylate

2-Propen-1-one, 1-(4-morpholinyl)-

hexamethylene diacrylate

Phosphine oxide, phenylbis(2,4,6-trimethylbenzoyl)-

Supplemental label elements Not applicable.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Not applicable.

Special packaging requirements

Containers to be fitted with : child-resistant fastenings

Not applicable.

Tactile warning of danger Yes, applicable.

2.3 Other hazards

Product meets the criteria for PBT or vPvB PBT or a vPvB.

: This mixture does not contain any substances that are assessed to be a

according to Regulation (EC) No.

1907/2006, Annex XIII

Other hazards which do: None known.

not result in classification

SECTION 3: Composition/information on ingredients

3.2 Mixtures Mixture

Product/ingredie nt name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
monoalkyl or monoaryl or monoalkylaryl esters of acrylic acid	REACH#: 01- 2120735441-62- XXXX CAS: 84100-23-2	>= 25 - <= 50	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317 STOT SE 3, H335 (Respiratory tract irritation) Aquatic Acute 1, H400 Aquatic Chronic 2, H411	STOT SE 3, H335: >= 10 % M [Acute] = 1	[1]
3-methyl-1,5- pentanediyl diacrylate	REACH#: 01- 2120117435-63- XXXX EC: 264-727-7 CAS: 64194-22-5	>= 10 - <= 25	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317	-	[1]
ethyl phenyl(2,4,6- trimethylbenzoyl)phos phinate	REACH#: 01- 2119987994-10- XXXX EC: 282-810-6 CAS: 84434-11-7	>= 10 - <= 25	Skin Sens. 1B, H317 Aquatic Chronic 2, H411		[1]
benzyl acrylate	REACH#: 01- 2120772339-44- XXXX EC : 219-673-9 CAS : 2495-35-4	>= 10 - <= 22		M [Acute] = 1 M [Chronic] = 1	[1]
2-phenoxyethyl acrylate	REACH#: 01- 2119980532-35- XXXX EC: 256-360-6 CAS: 48145-04-6	> 0 - <= 10	Skin Sens. 1, H317 Repr. 2, H361d Aquatic Chronic 2, H411	-	[1]
2-Propen-1-one, 1-(4- morpholinyl)-	CAS: 5117-12-4 Index: 613-222-00-3	> 0 - < 10	Acute Tox. 4, H302 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT RE 2, H373	ATE [Oral] = 588 mg/kg	[1]
hexamethylene diacrylate	REACH#: 01- 2119484737-22- XXXX EC: 235-921-9 CAS: 13048-33-4 Index: 607-109-00- 8	> 0 - <= 10	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411	M [Acute] = 1	[1]
Phosphine oxide, phenylbis(2,4,6- trimethylbenzoyl)-	REACH#: 01- 2119489401-38- XXXX CAS: 162881-26- 7 Index: 015-189-00- 5	> 0 - <= 3	Skin Sens. 1, H317 Aquatic Chronic 4, H413		[1]
2,5-Furandione, telomer with	REACH#: Exempt	> 0 - <= 2,6	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	M [Acute] = 1 M [Chronic] = 1	[1]

ethenylbenzene and	CAS: 1431957-		
(1-	88-8		
methylethyl)benzene,			
3-			
(dimethylamino)propyl			
imide, imide with			
polyethylene-			
polypropylene glycol			
2-aminopropyl Me			
ether, 2-[(C10-16-			
alkyloxy)methyl]oxiran			
e-quaternized,			
benzoates (salts)			

See Section 16 for the full text of the H statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

[1] Substance classified with a health or environmental hazard Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact Get medical attention immediately. Call a poison center or

> physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a

physician.

Inhalation Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a

position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to

be kept under medical surveillance for 48 hours.

Get medical attention immediately. Call a poison center or Skin contact physician. Wash with plenty of soap and water. Remove

> contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Get medical attention immediately. Call a poison center or

Ingestion

Date of issue/Date of revision: 14.04.2025 Date of previous issue: 10.04.2025 Version: 2.0

physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Protection of first-aiders

No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

Eye contact : Adverse symptoms may include the following: pain, watering,

redness

Inhalation : Adverse symptoms may include the following: respiratory tract

irritation, coughing, reduced fetal weight, increase in fetal

deaths, skeletal malformations

Skin contact : Adverse symptoms may include the following: pain or irritation,

redness, blistering may occur, reduced fetal weight, increase

in fetal deaths, skeletal malformations

Ingestion: Adverse symptoms may include the following: stomach pains,

reduced fetal weight, increase in fetal deaths, skeletal

malformations

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : In case of inhalation of decomposition products in a fire,

symptoms may be delayed. The exposed person may need to

be kept under medical surveillance for 48 hours.

Specific treatments : No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media

: Use an extinguishing agent suitable for the surrounding fire.

None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture

: In a fire or if heated, a pressure increase will occur and the container may burst. This material is very toxic to aquatic life. This material is toxic to aquatic life with long lasting effects.

Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Hazardous combustion products

 Decomposition products may include the following materials: carbon dioxide, carbon monoxide, nitrogen oxides, sulfur oxides, phosphorus oxides

5.3 Advice for firefighters

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.

6.3 Methods and materials for containment and cleaning up

Small spill

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.

Contaminated absorbent material may pose the same hazard

as the spilled product.

6.4 Reference to other sections See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal

protective equipment.

See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures

Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material. kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Seveso Directive - Reporting thresholds

Danger criteria

Category	Notification and MAPP threshold	Safety report threshold
E1	100 kg	200 kg

7.3 Specific end use(s)

Recommendations Not available.

Industrial sector specific

Not available.

solutions

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

Biological exposure indices

No exposure indices known.

Recommended monitoring procedures

: Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

Product/ingredient name	Type	Exposure	Value	Population	Effects
monoalkyl or monoaryl or	DNEL	Long term	0,25 mg/kg	General	Systemic
monoalkylaryl esters of		Oral	bw/day	population	
acrylic acid					
	DNEL	Long term	2,5 mg/m ³	Workers	Systemic
		Inhalation			
	DNEL	Long term	0,7 mg/kg	Workers	Systemic
		Dermal	bw/day		
	DNEL	Long term	0,4 mg/m ³	General	Systemic
		Inhalation		population	
	DNEL	Long term	0,25 mg/kg	General	Systemic
		Dermal	bw/day	population	
	DNEL	Long term	0,25 mg/kg	General	Systemic
		Oral	bw/day	population	
	DNEL	Long term	2,5 mg/m ³	Workers	Systemic
		Inhalation			
	DNEL	Long term	0,7 mg/kg	Workers	Systemic
		Dermal	bw/day		
	DNEL	Long term	0,4 mg/m³	General	Systemic
		Inhalation		population	
	DNEL	Long term	0,25 mg/kg	General	Systemic
		Dermal	bw/day	population	
3-methyl-1,5-pentanediyl	DNEL	Long term	1,5 mg/kg	General	Systemic

diacrylate		Oral	bw/day	population	
	DNEL	Long term	42 mg/kg	Workers	Systemic
		Dermal	bw/day		
	DNEL	Long term	15 mg/kg	General	Systemic
		Dermal	bw/day	population	
	DNEL	Long term Inhalation	14,81 mg/m³	Workers	Systemic
	DNEL	Long term	2,6 mg/m ³	General	Systemic
		Inhalation		population	
	DNEL	Long term Oral	1,5 mg/kg bw/day	General population	Systemic
	DNEL	Long term Dermal	42 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Dermal	15 mg/kg bw/day	General population	Systemic
	DNEL	Long term Inhalation	14,81 mg/m ³	Workers	Systemic
	DNEL	Long term Inhalation	2,6 mg/m³	General population	Systemic
ethyl phenyl(2,4,6- trimethylbenzoyl)phosphina te	DNEL	Long term Oral	0,5 mg/kg bw/day	General population	Systemic
	DNEL	Long term Inhalation	4,93 mg/m³	Workers	Systemic
	DNEL	Long term Dermal	1,4 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	0,87 mg/m ³	General population	Systemic
	DNEL	Long term Dermal	0,5 mg/kg bw/day	General population	Systemic
	DNEL	Long term Oral	0,5 mg/kg bw/day	General population	Systemic
	DNEL	Long term Inhalation	4,93 mg/m ³	Workers	Systemic
	DNEL	Long term Dermal	1,4 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	0,87 mg/m ³	General population	Systemic
	DNEL	Long term Dermal	0,5 mg/kg bw/day	General population	Systemic
2-phenoxyethyl acrylate	DNEL	Long term Dermal	3,5 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	77 mg/m³	Workers	Local
	DNEL	Long term Inhalation	12 mg/m³	Workers	Systemic
	DNEL	Long term Dermal	3,5 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	77 mg/m³	Workers	Local
	DNEL	Long term Inhalation	12 mg/m³	Workers	Systemic
2-Propen-1-one, 1-(4- morpholinyl)-	DNEL	Short term Inhalation	132,24 mg/m³	Workers	Systemic
	DNEL	Long term Dermal	300 mg/kg bw/day	Workers	Systemic
	DNEL	Short term	300 mg/kg	Workers	Systemic

		Dermal	bw/day		
	DNEL	Long term	132,24	Workers	Systemic
	51122	Inhalation	mg/m³	Tromore	- Cyolollio
	DNEL	Short term	132,24	Workers	Systemic
		Inhalation	mg/m³		
	DNEL	Long term	300 mg/kg	Workers	Systemic
		Dermal	bw/day		
	DNEL	Short term	300 mg/kg	Workers	Systemic
		Dermal	bw/day		
	DNEL	Long term	132,24	Workers	Systemic
		Inhalation	mg/m³		
hexamethylene diacrylate	DNEL	Long term	1,66 mg/kg	General	Systemic
		Dermal	bw/day	population	
	DNEL	Long term	24,5 mg/m ³	Workers	Systemic
		Inhalation		_	
	DNEL	Long term	7,2 mg/m ³	General	Systemic
		Inhalation		population	
	DNEL	Long term	2,77 mg/kg	Workers	Systemic
		Dermal	bw/day		
	DNEL	Long term	2,1 mg/kg	General	Systemic
		Oral	bw/day	population	
	DNEL	Long term	1,66 mg/kg	General	Systemic
	DATE	Dermal	bw/day	population	
	DNEL	Long term	24,5 mg/m ³	Workers	Systemic
	DATE	Inhalation	7.0 / 2		
	DNEL	Long term	7,2 mg/m ³	General	Systemic
	5.151	Inhalation	0 == "	population	
	DNEL	Long term	2,77 mg/kg	Workers	Systemic
	DNE	Dermal	bw/day	0	0 -1
	DNEL	Long term	2,1 mg/kg	General	Systemic
Dhoophing oxide	DNEL	Oral	bw/day	population General	Systemic
Phosphine oxide, phenylbis(2,4,6-	DINEL	Long term Oral	1,5 mg/kg bw/day		Systemic
trimethylbenzoyl)-		Olai	bw/uay	population	
tililietilyiberizoyi)-	DNEL	Short term	1,67 ng/kg	General	Systemic
	DINEL	Oral	bw/day	population	Systemic
	DNEL	Short term	7,84 mg/m ³	Workers	Systemic
	DINEL	Inhalation	7,04 mg/m²	vvoikeis	Systemic
	DNEL	Short term	3,33 mg/kg	Workers	Systemic
	DINLL	Dermal	bw/day	WOIKEIS	Systemic
	DNEL	Short term	1,93 mg/m ³	General	Systemic
	DINEL	Inhalation	1,55 mg/m²	population	Cysternic
	DNEL	Short term	1,67 mg/kg	General	Systemic
	DIVLE	Dermal	bw/day	population	Cysternic
	DNEL	Long term	7,84 mg/m ³	Workers	Systemic
	DIVLE	Inhalation	7,04 mg/m²	VVOINGIS	Cysternic
	DNEL	Long term	3 mg/kg	Workers	Systemic
	51455	Dermal	bw/day	VVOIRCIS	Cystollic
			1,93 mg/m ³	General	Systemic
	DNFI	Long term		,	0,50011110
	DNEL	Long term Inhalation	1,95 mg/m²	population	
		Inhalation	, ,	population General	Systemic
	DNEL	Inhalation Long term	1,5 mg/kg	General	Systemic
	DNEL	Inhalation Long term Dermal	1,5 mg/kg bw/day	General population	
		Inhalation Long term Dermal Long term	1,5 mg/kg bw/day 1,5 mg/kg	General population General	Systemic Systemic
	DNEL	Inhalation Long term Dermal Long term Oral	1,5 mg/kg bw/day 1,5 mg/kg bw/day	General population General population	Systemic
	DNEL	Inhalation Long term Dermal Long term	1,5 mg/kg bw/day 1,5 mg/kg	General population General	

	Inhalation			
DNEL	Short term Dermal	3,33 mg/kg bw/day	Workers	Systemic
DNEL	Short term Inhalation	1,93 mg/m³	General population	Systemic
DNEL	Short term Dermal	1,67 mg/kg bw/day	General population	Systemic
DNEL	Long term Inhalation	7,84 mg/m³	Workers	Systemic
DNEL	Long term Dermal	3 mg/kg bw/day	Workers	Systemic
DNEL	Long term Inhalation	1,93 mg/m³	General population	Systemic
DNEL	Long term Dermal	1,5 mg/kg bw/day	General population	Systemic

PNECs

No PNECs available.

8.2 Exposure controls

Appropriate engineering controls

: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Skin protection Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before

handling this product.

Appropriate footwear and any additional skin protection Other skin protection

measures should be selected based on the task being performed and the risks involved and should be approved by a

specialist before handling this product.

Based on the hazard and potential for exposure, select a Respiratory protection

> respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important

aspects of use.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process

equipment will be necessary to reduce emissions to

acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

Appearance

Physical state liquid Color Red.

Odor Not available. Odor threshold Not available. Melting point/freezing point Not available.

Initial boiling point and boiling

Not available. range

Flammability Not available.

Lower and upper explosion Lower: Not available.

limit **Upper:** Not available.

Not Measured. Flashpoint is estimated to be >93°C (>200°F). Flash point

Auto-ignition temperature Not Available

Decomposition temperature Not available.

Hq Product is non-polar/aprotic.

Viscosity Dynamic Not available.

Kinematic Not available.

Solubility in water Not available. Partition coefficient: n-

octanol/water

Not applicable.

Vapor pressure

Relative density : 1,06

Vapor density: Not available.Explosive properties: Not available.Oxidizing properties: Not available.VOC: 0,43 %(m)

Particle characteristics

Median particle size : Not applicable.

SECTION 10: Stability and reactivity

10.1 Reactivity : No specific test data related to reactivity available for this

product or its ingredients.

10.2 Chemical stability : The product is stable.

10.3 Possibility of hazardous : Under normal conditions of storage and use, hazardous

reactions will not occur.

10.4 Conditions to avoid : No specific data.

10.5 Incompatible materials : No specific data.

10.6 Hazardous decomposition : Under normal conditions of storage and use, hazardous

decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

reactions

products

Product/ingredient name	Result	Species	Dose	Exposure				
2-Propen-1-one, 1-(4-morph	2-Propen-1-one, 1-(4-morpholinyl)-							
	LD50 Oral	Rat	588 mg/kg	-				
	LC50	Rat	5.280 mg/l	4 h				
	Inhalation							
	Vapor							
	LD50 Dermal	Rat	2.000 mg/kg	-				
hexamethylene diacrylate								
	LD50 Oral	Rat	5.000 mg/kg	-				

Conclusion/Summary : Not available.

Acute toxicity estimates

Product/ingredient Or	ral De	rmal	Inhalation	Inhalation	Inhalation

name			(gases)	(vapors)	(dusts and mists)
IEASY UV ink HT Pro7 magenta 01LT	8654,8 mg/kg	N/A	N/A	N/A	N/A
2-Propen-1-one, 1-(4- morpholinyl)-	588 mg/kg	N/A	N/A	5280 mg/l	N/A
hexamethylene diacrylate	5000 mg/kg	N/A	N/A	N/A	N/A

Irritation/Corrosion

Product/ingredient	Result	Species	Score	Exposure	Observation
name					
hexamethylene diacrylate	Skin - Severe irritant	Rabbit	-	24 hrs	-

Conclusion/Summary

Skin:Not available.Eyes:Not available.Respiratory:Not available.

Sensitization

Conclusion/Summary

Skin : Not available.
Respiratory : Not available.

<u>Mutagenicity</u>

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Product/ingredient name	Category	Route of exposure	Target organs
monoalkyl or monoaryl or monoalkylaryl esters of acrylic acid	Category 3	-	Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

Product/ingredient name	Category	Route of exposure	Target organs
2-Propen-1-one, 1-(4-	Category 2	-	-

morpholinyl)-

Aspiration hazard

Not available.

Information on the likely

routes of exposure

Not available.

Potential acute health effects

Eye contact : Causes serious eye damage. Inhalation : May cause respiratory irritation.

Skin contact: Causes skin irritation. May cause an allergic skin reaction.

Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Adverse symptoms may include the following: pain, watering,

redness

Inhalation : Adverse symptoms may include the following: respiratory tract

irritation, coughing, reduced fetal weight, increase in fetal

deaths, skeletal malformations

Skin contact : Adverse symptoms may include the following: pain or

irritation, redness, blistering may occur, reduced fetal weight,

increase in fetal deaths, skeletal malformations

Ingestion : Adverse symptoms may include the following: stomach pains,

reduced fetal weight, increase in fetal deaths, skeletal

malformations

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Potential chronic health effects

Conclusion/Summary : Not available.

General : Once sensitized, a severe allergic reaction may occur when

subsequently exposed to very low levels.

Carcinogenicity: No known significant effects or critical hazards.Mutagenicity: No known significant effects or critical hazards.Reproductive toxicity: Suspected of damaging the unborn child.

11.2. Information on other hazards

11.2.1 Endocrine disrupting : Not available.

properties

11.2.2 Other information : Not available.

SECTION 12: Ecological information

12.1 Toxicity

Conclusion/Summary : Not available.

12.2 Persistence and degradability

Conclusion/Summary : Not available.

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
2-Propen-1-one, 1-(4-	-0,46	-	low
morpholinyl)-			
hexamethylene diacrylate	2,81	-	low
Phosphine oxide,	5,77	5,00	low
phenylbis(2,4,6-			
trimethylbenzoyl)-			

12.4 Mobility in soil

Soil/water partition coefficient : Not available.

(KOC)

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties : Not available.

12.7 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

Methods of disposal : The generation of waste should be avoided or minimized

wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all

authorities with jurisdiction.

Hazardous waste : The classification of the product may meet the criteria for a hazardous waste.

Packaging

Methods of disposal

: The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions

: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	ADN	IMDG	IATA
	ADIVICID	ADIO	IIIIDO	IAIA
14.1 UN number or ID number	UN3082	UN3082	UN3082	UN3082
14.2 UN proper shipping name	ENVIRONMENTA LLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (monoalkyl or monoaryl or monoalkylaryl esters of acrylic acid, ethyl phenyl(2,4,6- trimethylbenzoyl)p hosphinate)	ENVIRONMENTA LLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (monoalkyl or monoaryl or monoalkylaryl esters of acrylic acid, ethyl phenyl(2,4,6- trimethylbenzoyl)p hosphinate)	ENVIRONMENTA LLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (monoalkyl or monoaryl or monoalkylaryl esters of acrylic acid, ethyl phenyl(2,4,6- trimethylbenzoyl)p hosphinate)	ENVIRONMENTA LLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (monoalkyl or monoaryl or monoalkylaryl esters of acrylic acid, ethyl phenyl(2,4,6- trimethylbenzoyl)p hosphinate)
14.3 Transport hazard class(es) 14.4 Packing group	9	9	9	9
14.5. Environmental hazards	Yes.	Yes.	Yes.	Yes.

Additional information

ADR/RID

This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

Tunnel code (-)

ADN

: This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

IMDG : This product is not regulated as a dangerous good when

transported in sizes of ≤ 5 L or ≤ 5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to

4.1.1.8.

IATA : This product is not regulated as a dangerous good when

transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and

5.0.2.8.

14.6 Special precautions for

user

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an

accident or spillage.

14.7 Maritime transport in bulk according to IMO instruments

Not available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorization

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Product/ingredient name	%	Designation [Usage]

No listed substance

Other EU regulations

Industrial emissions

Not listed

(integrated pollution

prevention and control) - Air

Industrial emissions : Not listed

(integrated pollution prevention and control) -

Water

Explosive precursors : Not applicable.

Ozone depleting substances (1005/2009/EU)

None of the components are listed.

Prior Informed Consent (PIC) (649/2012/EU)

None of the components are listed.

Persistent Organic Pollutants

None of the components are listed.

Seveso Directive

This product is controlled under the Seveso Directive.

Danger criteria

Category	
E1	

National regulations

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Chemical Weapons Convention List Schedule I Chemicals

None of the components are listed.

Chemical Weapons Convention List Schedule II Chemicals

None of the components are listed.

Chemical Weapons Convention List Schedule III Chemicals

None of the components are listed.

Montreal Protocol

None of the components are listed.

Stockholm Convention on Persistent Organic Pollutants

Annex A - Elimination - Production

None of the components are listed.

Annex A - Elimination - Use

None of the components are listed.

Annex B - Restriction - Production

None of the components are listed.

Annex B - Restriction - Use

None of the components are listed.

<u>Annex C - Unintentional - Production</u>

None of the components are listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Rotterdam Convention on Prior Informed Consent (PIC) - Industrial

None of the components are listed.

Rotterdam Convention on Prior Informed Consent (PIC) - Pesticide

None of the components are listed.

Rotterdam Convention on Prior Informed Consent (PIC) -Severely hazardous pesticide

None of the components are listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Heavy metals - Annex 1

None of the components are listed.

POPs - Annex 1 - Production

None of the components are listed.

POPs - Annex 1 - Use

None of the components are listed.

POPs - Annex 2

None of the components are listed.

POPs - Annex 3

None of the components are listed.

Inventory list

Australia: Not determined.Canada: Not determined.China: Not determined.

Eurasian Economic Union : Russian Federation inventory: Not determined.

Japan : Japan inventory (CSCL): Not determined.

Japan inventory (ISHL): Not determined.

New Zealand : All components are listed or exempted.

Philippines : Not determined.
Republic of Korea : Not determined.
Taiwan : Not determined.
Thailand : Not determined.
Turkey : Not determined.

United States : All components are listed or exempted.

Viet Nam : Not determined.

15.2 Chemical Safety

Assessment

: This product contains substances for which Chemical Safety

Assessments are still required.

SECTION 16: Other information

Abbreviations and acronyms : ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation

[Regulation (EC) No. 1272/2008]

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement

N/A = Not available

PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

SGG = Segregation Group

vPvB = Very Persistent and Very Bioaccumulative

<u>Procedure used to derive the classification according to Regulation (EC) No. 1272/2008</u> [CLP/GHS]

Classification	Justification
Skin Irrit. 2, H315	Calculation method
Eye Dam. 1, H318	Calculation method
Skin Sens. 1, H317	Calculation method
Repr. 2, H361d	Calculation method
STOT SE 3, H335 (Respiratory tract irritation)	Calculation method
Aquatic Acute 1, H400	Calculation method
Aquatic Chronic 2, H411	Calculation method

Full text of abbreviated H statements

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H361d	Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated
	exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Full text of classifications [CLP/GHS]

Acute Tox. 4	ACUTE TOXICITY - Category 4
	U /
Aquatic Acute 1	AQUATIC HAZARD (ACUTE) - Category 1
Aquatic Chronic 1	AQUATIC HAZARD (LONG-TERM) - Category 1
Aquatic Chronic 2	AQUATIC HAZARD (LONG-TERM) - Category 2
Aquatic Chronic 4	AQUATIC HAZARD (LONG-TERM) - Category 4
Eye Dam. 1	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1
Eye Irrit. 2	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2
Repr. 2	TOXIC TO REPRODUCTION - Category 2
Skin Irrit. 2	SKIN CORROSION/IRRITATION - Category 2
Skin Sens. 1	SKIN SENSITIZATION - Category 1
Skin Sens. 1A	SKIN SENSITIZATION - Category 1A
Skin Sens. 1B	SKIN SENSITIZATION - Category 1B
STOT RE 2	SPECIFIC TARGET ORGAN TOXICITY (REPEATED
	EXPOSURE) - Category 2
STOT SE 3	SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) -
	Category 3

Date of printing: 16.05.2025Date of issue/ Date of revision: 14.04.2025Date of previous issue: 10.04.2025Version: 2.0

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present

unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.